

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.

1. (Currently amended) An arrangement comprising:

an electronic device comprising a reader configured for machine reading radio frequency tags; and

a user manual associated with the electronic device, including a plurality of radio frequency tags attached on the pages of the user manual such that each radio frequency tag is machine readable separately by the electronic device without interference from other radio frequency tags attached in the user manual, ~~[[each]]~~ at least one radio frequency tag including software instructions relating to an operation described in the manual and associated with said radio frequency tag; ~~[[.]]~~

wherein the electronic device ~~includes a reader for reading of the plurality of radio frequency tags, and being operable~~ is configured, in response to the reader machine reading at least one of the plurality of radio frequency tags attached in the user manual and including software instructions, to execute the software instructions read from said at least one radio frequency tag to perform a device operation that is described in the user manual in connection with said at least one radio frequency tag.

2-5. (Canceled)

6. (Previously presented) The arrangement of claim 1, wherein the device operation is performed automatically.

7. (Previously presented) The arrangement of claim 6, wherein the device operation is performed in a tutorial way.

8. (Previously presented) The arrangement of claim 7, wherein the tutorial way proceeds in a step-by-step manner, and the device operation proceeds to a next step when a predefined or user-adjustable time has elapsed.

9. (Previously presented) The arrangement of claim 7, wherein when performing the device operation in the tutorial way, the operation proceeds in a step-by-step manner by taking proceed indications from a user of the device.

10. (Previously presented) The arrangement of claim 1, wherein read software instructions are added to an existing software code in the device or replace an existing software code portion in the device.

11. (Previously presented) The arrangement of claim 10, wherein usage of the read software instructions is limited to a predetermined number of usage times or to a predetermined time.

12. (Canceled)

13. (Previously presented) The arrangement of claim 1, wherein the radio frequency tags include information for starting an application at the electronic device.

14. (Previously presented) The arrangement of claim 1, wherein the electronic device is a mobile phone.

15. (Currently amended) An electronic device comprising:

a reader for reading any of a plurality of radio frequency tags from a user manual associated with the electronic device, the user manual including the plurality of radio frequency tags on the pages of the user manual positioned such that they are machine readable separately by the electronic device without interfering with each other, ~~[[each]]~~ at least one radio frequency tag storing software instructions relating to a device operation described in the user manual and associated with said radio frequency tag, wherein the electronic device further includes a controller ~~operable~~ configured, in response to machine reading at least one of the plurality of radio frequency tags attached in the user manual and including software instructions, to execute the software instructions read from said at least one radio frequency tag to perform a device

operation that is described in the user manual in connection with said at least one radio frequency tag.

16. (Currently amended) The device of claim 15, wherein the controller is ~~arranged~~configured to start an application in the device.

17. (Currently amended) The device of claim 15, wherein the controller is ~~arranged~~configured to illustrate performing of an operational setting in a step-by-step manner, step transitions being triggered by expiry of a timer or by pressing of a key of the device.

18. (Currently amended) The device of claim 15, wherein the reader is ~~arranged~~configured to read a software code portion from a radio frequency tag and the controller is ~~arranged~~configured to add the software code portion to an existing code base in the device.

19. (Currently amended) The device of claim 15, wherein the reader is ~~arranged~~configured to read a software code portion from a radio frequency tag and the controller is ~~arranged~~configured to replace an existing software code portion in the device with the read software code portion.

20. (Currently amended) The device of claim 15, wherein the reader is ~~arranged~~configured to read a media content from a radio frequency tag and the controller is ~~arranged~~configured to add the media content to a media base of the device.

21. (Currently amended) A user manual comprising a plurality of radio frequency tags, ~~[[each]]at least one radio frequency tag~~ storing software instructions relating to a device operation described in the user manual, the radio frequency tags being attached on the pages of the user manual such that each radio frequency tag is machine readable without interference from other radio frequency tags in the user manual.

22. (Canceled)

23. (Currently amended) A method comprising:

reading, by using an electronic device, at least one radio frequency tag from a user manual including a plurality of radio frequency tags attached on the pages of the user manual such that each radio frequency tag is machine readable without interference from other radio frequency tags in the user manual, ~~[[each]]~~ at least one radio frequency tag storing software instructions relating to a device operation described in the user manual and associated with the radio frequency tag,

performing, in the electronic device, on the basis of the software instructions read from at least one radio frequency tag, a device operation that is described in the user manual in connection with said at least one read radio frequency tag.

24-25. (Canceled)

26. (Previously presented) The arrangement of claim 1, wherein the radio frequency tags are positioned on different ends of neighboring pages of the user manual.

27. (Previously presented) The arrangement of claim 1, wherein the radio frequency tags have a reading distance such that they are readable only by touching the radio frequency tag with the reader of the electronic device.

28. (New) The method of claim 23, further comprising locating, in the user manual, a page describing a solution to a problem that a user has encountered when using the electronic device, and reading the radio frequency tag residing in the located page to solve the problem at the electronic device.

29. (New) The arrangement of claim 1, wherein the arrangement includes a selling package.